

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	Mt	Na <sub>2</sub> O+K <sub>2</sub> O	DT
50mm		4800kcal kg	18%	3.0%	8%	2.5%	1350
		4600kcal kg	18%	4.5%	—	2.5%	—

1.

5

1000

2

2024 1 12 10

< 1

10

1

2

15

8

3000

2

15

8

5000

20 /

8000

0.02 / .

3.

13%

4.

10

5.

3

6.

10

7.

10

8.

90% 110%

90%

110%

0.002 / .

0.002 / .

9.

0.02 / .

10.

Qnet. ar <4800 Kcal /  
 Qnet. ar 100  
 4800 0.005 / .  
 St. d 2.5% 100  
 :  
 Vdaf 18% Vdaf >18%  
 Vdaf 1  
 0.005 / .  
 Na<sub>2</sub>O+k<sub>2</sub>O  
 3.0%  
 0. xxx / 8000 < 12000  
 8000  
 0.02 / .  
 >12000  
 12000  
 0.03 / .  
 Qnet. ar 4600Kcal /  
 St. d 4.5 %  
 Vdaf 18 %

1. 3.0%<St. d 3.5%St. d 0.1
2. 3.5%<St. d 4.0% St. d 0.1
3. St. d>, 4.0% St. d 0.1

**Na<sub>2</sub>O+K<sub>2</sub>O**

1. 2.5%Na<sub>2</sub>O+k<sub>2</sub>O 3.5% 0.1
2. 3.5%Na<sub>2</sub>O+k<sub>2</sub>O 4.5% 0.1
3. Na<sub>2</sub>O+k<sub>2</sub>O>4.5% 0.1

1 0.1

3

5 0.1

5

10

20

<4600

4.5% Vdaf >18%

Na<sub>2</sub>O+K<sub>2</sub>O

95-110%

90% <-95%  
 -0.002 / .  
 80% <-90%  
 -0.004 / .  
 70% <-80%  
 -0.006 / .  
 60% <-70%  
 -0.008 / .  
 50% <-60%  
 -0.010 / .  
 40% <-50%  
 -0.015 / .  
 <40%  
 -0.020 / .